
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





UNION COUNTY

HIRAM T. JONES Elizabeth, New Jersey

Wholesale List

HIRAM T. JONES

UNION COUNTY NURSERIES ELIZABETH - NEW JERSEY

TELEPHONE 574 L

图图

WHOLESALE LIST, FALL, 1905


Terms Cash, except by special agreement. Transportation at purchaser's risk and expense. Packing done in best manner at moderate cost. Grades carefully made to a high standard of excellence.

My stock has been examined by our State Entomologist, and found to be entirely free from San Jose Scale, Peach Rosette, Yellows, and other dangerous insects or plant diseases. A copy of the official certificate will be sent to each purchaser.

BB

OFFICE: 49 NORTH AVENUE

MAIN LINE TROLLEY PASSES WITHIN ONE
BLOCK





DECIDUOUS TREES.

	10	100
Acer	dasycarpum (Silver Maple)— 10 to 12 ft\$2.50	
	8 to 10 ft	
	0 00 20 2000000000000000000000000000000	



A pyramidal form of the Silver Maple. Transplanted specimens, 10 to 12 feet, \$1 each, \$75 per 100.

DASYCARPUM PYRAMIDALIS

dasycarpum Wierii (Wier's		
Cut Leaved Maple)—		
12 to 14 ft.; trans-		
planted	5.00	40.00
8 to 10 ft	3.00	25.00
6 to 8 ft	2.00	15.00
negundo (Ash-Leaved Ma-		
ple)—		
10 to 12 ft., 1½ inches	3.00	25.00
8 to 10 ft	1.25	10.00
negundo lacinista		

A novelty with finely cut leaves, will be offered for spring 1907.

2 HIRAM T. JONES, ELIZABETH, N. 10	J. 100
Acer platanoides (Norway Ma-	100
ple)— 12 to 14 ft.; 3 to 3½ in 35.0 12 to 14 ft.; 2 to 3 in 25.0 10 to 12 ft.; 2 to 2½ in 10.0 8 to 10 ft.; 1 to 1½ in 5.0 platanoides Schwedleri— 8 to 10 ft.; 1¼ to 1½ in. 10.0	0 0 90.00 0 40.00
rubrum, 4 to 5 ft 2.5 saccharinum (Sugar Ma- ple—	0
2 to 2½ in	0 60.00 0 40.00
JAPANESE MAPLES.	
Acer polymorphum (Green Leaved)— 2 ft.; transplanted 3.0 polymorphum atropurpureum—(Blood Leaved);	0 *
$\begin{array}{c} \text{transplanted} \\ 2\frac{1}{2} \text{ to } 3 \text{ ft.} \\ 1\frac{1}{2} \text{ to } 2 \text{ ft.} \\ 10.0 \\ \text{polymorphum atropurpur-} \end{array}$	100.00 75.00
eum dissectum— (Purple Cut-Leaved)— 2 to 2½ ft 15.0	
reticulatum; 18 to 24 in 15.0 scolopendulifolium 10.0	
Aesculus carnea (Red Flowering Horse-Chestnut); 4 to 6 ft	50
10 to 12 ft 15.0 8 to 10 ft 10.0 flore plena; 10 to 12	00
ft.; transplanted 15.0	,,

WILLIAM E LICT CALL	005	2
WHOLESALE LIST—FALL, 1	905 10	100
Alnus imperialis laciniata (Cut Leaved Adler)—		100
6 to 8 ft.; specimens	7.50	
Aralia Maximowiczii; 6 to 8 ft	5.00	
pentaphylla; 3 to 4 ft	1.75	15.00
spinosa; 3 to 4 ft	2.50	20.00
4 to 5 ft	3.50	30.00
5 to 6 ft	4.00	
Betula alba (European White Birch)—		
12 to 14 ft.; 3 to 4 in	35.00	
10 to 12 ft.; trans	10.00	
8 to 10 ft.; trans	7.50	
6 to 8 ft	3.50	30.00
4 to 6 ft	2.00	15.00
alba laciniata— 10 to 12 ft 6 to 8 ft 5 to 6 ft	12.50 6.00 5.00	100.00 50.00 40.00
	3.00	40.00
alba pyramidalis—		
5 to 6 ft	6.00	50.00
3 to 5 ft	5.00	40.00
lutea (Yellow Birch);		
4 to 6 ft	2.50	
Maximowiczii, 5 to 6 ft	6.00	50.00
This valuable tree comes fro	m Jan	an It
has large leaves, orange colored of rapid growth. It is one of the ful of all the Birches.	trunk,	and is
pumila Grayi; 3 to 4 ft.	3.00	25.00
A dwarf variety from Briti suitable for rockeries and rocky papyracea (Canoe Birch)		
papyracea (Canoe Birch)	1000	

Of the smaller size I have a large stock, many with from 2 to 5 branches from the ground.

d.
purpurea; 8 to 10 ft.... 7.50
4 to 5 ft.... 4.00 35.00

4 HIRAM T. JONES, ELIZABETH		
('arpinus Americana (American Hornbeam)— 3 to 4 ft.; bushy, root	10	100
pruned	1.75	15.00
4 to 5 ft.; bushy	2.50	20.00
betulus (European Horn- beam)—		
$1\frac{1}{2}$ to 2 ft.; bushy	1.00	8.00
Carya alba (Hickory); 1 to 2 ft.	5.00	
Castanea Americana (American Sweet Chestnut)—		
4 to 5 ft	1.75	15.00
3 to 4 ft	1.50	10.00
Japonica; 2 ft	2.00	
Catalpa Bungii;		
My stock of 2 yr. and 3 yr. tre		sists of
upwards of a thousand specimen	ıs	
3 yr. heads, 5 to 6 ft	17.50	150.00
2 yr. heads, 6 to 7 ft	12.50	100.00
5 to 6 ft	10.00	75.00
4 to 5 ft	6.00	50.00
1 yr. heads, 5 to 6 ft	5.00	40.00
Dwarf, 3 ft.; bushy	5.00	
speciosa; 8 to 10 ft	2.00	
Celtis occidentalis (Hackberry) 4 ft	1.75	
2 20	2	
Cerasus pseudo-cerasus, 4 to 5 ft.	2.00	15.00
padus; 4 to 5 ft	2.00	
avium; 5 to 6 ft	1.25	10.00
Virginiana; 4 to 5 ft	1.25	10.00
rosea pendula (Weeping Cherry)—		
5 ft.; well furnished	12.50	
Cercis canadensis (American Judas Tree)—		
6 to 8 ft. specimens	7.50	
5 to 6 ft. trans.	3.00	25.00
4 to 5 ft. trans.	2.00	20.00
3 to 4 ft. trans.	1.75	15.00
2 to 3 ft. trans.	1.25	10.00

		_
WHOLESALE LIST—FALL,	1905 10	100
Cercis Canadensis alba (Teas	10	100
White Judas Tree).		
This novelty is similar in hal		
the old time favorite, except th		
are pure white and borne in great 5 to 6 ft 5.00 each	it pron	usion.
3 to 4 ft 2.50 each		
2 to 3 ft 1.50 each		
1 to 2 ft 1.00 each		
Japonica; 18 to 24 in	2.00	
Cladastris Tinctoria; 3 to 4 ft	3.00	
Fagus sylvatica (European		
Beech), 3 to 4 ft	3.00	25.00
sylvatica purpure a	_	
(Copper Beech)—	_	
3 to 4 ft	5.00	40.00
sylvatica atropurpu-		
rea; 4 ft	7.50	
sylvatica asplenifolium Fraxinus Americana (White	7.50	
Ash); 6 to 8 ft	2.50	15.00
Gleditschia triacanthos: 4 to 6 ft.	1.50	10.00
triacanthos inermis:	1.50	10.00
8 to 10 ft.	5.00	
4 to 5 ft.	2.50	
Itea Virginica; 2 to 3 ft	2.00	15.00
Hex verticillata; 2 to 3 ft	3.00	25.00
Juglans cinera (Butternut)		
4 to 5 ft	2.50	20.00
nigra (Black Wal-		
nut); 4 to 5 ft	3.00	25.00
regia (English Wal- nut)—2 to 3 ft.	1.50	10.00
Seiboldi (Japan); 4 ft.	5.00	10.00
	5.00	
Larix Europea (European Larch)—root pruned		
3 to 4 ft	2.00	15.00
5 to 6 ft	5.00	40.00
8 to 10 ft	7.50	70.00
10 to 12 ft	15.00	
Americana; 4 to 5 ft	5.00	
Liquidambar styraciflua (Sweet		
Gum)—		
6 ft.; transplanted	5.00	40.00
4.1		

6 HIRAM T. JONES, ELIZABETH, N. J.	100
Liriodendron tulipfera (Tulip Tree):	100
6 to 8 ft	25.00 35.00
fastigiata 20.00 Magnolia acuminata (Cucumber	
Tree); 5 to 6 ft 3.00 conspicua, 3 to 4 ft 12.50	25.00
2 to 3 ft 10.00 Kobus, 3 to 4 ft 6.00 Lennei, 3 to 4 ft 12.50 2 to 3 ft 10.00	75.00 50.00
Soulangeana, 5ft 25.00 3 to 4 ft 9.00	
2 to 3 ft 7.50 tripetala,	60.00
6 to 8 ft 1.50	10.00
Teas Weeping	7.50
Oxydendron arborea; 2 to 3 ft 3.00 3 to 4 ft 4.00	25.00 35.00
5 to 6 ft. 7.50	33.00
Paulownia imperialis (Empress	
Tree); 4 to 6 ft 5.00	
Populus angustifolia—6 to 8 ft. 1.00	7.50
Bolleana; 6 to 8 ft 3.00	25.00
fastigiata (Lombardy	
Poplar)—	
3 to 4 in.; 12 to 14 ft 25.00	
2½ to 3 in.; 12 to 14 ft 12.50	
2 to 2½ in.; 11 to 13 ft 10.00	
$1\frac{1}{2}$ to 2 in.; 10 to 12 ft 5.00	40.00
8 to 10 ft 3.00	25.00
monilifera (Carolina Poplar)	
5 to 6 in.;15 to 18 ft. 50.00	
3 to 4 in.; 14 to 16 ft. 25.00	400 65
2½ to 3 in.; 13 to 15 ft. 12.50	100.00
2 to 2½ in.; 12 to 14 ft. 8.00	75.00
1½ to 2 in.; 10 to 12 ft 5.00	35.00
8 to 10 ft.; trans 2.50	20.00
monolifera Van Geerti—	
4 to 5 ft	

WHOLESALE LIST-FALL,	1905	7
The state of the s	10	100
Ptelea trifoliata; 4 to 5 ft	1.00	8.00
aurea; 3 to 4 ft	2.00	
Pyrus ioensis (Bechtel's Flower-		
ing Crab)—	0.50	0000
3 to 5 ft	3.50	30.00
Toringo; 3 to 4 ft Quercus alba (White Oak);	3.00	25.00
Quercus alba (White Oak); 6 to 8 ft.; transplanted	7 50	
4 to 5 ft.; transplanted	$7.50 \\ 6.00$	50.00
bicolor (Swamp White	0.00	30.00
Oak)—6 to 8 ft	7.50	60.00
coccinea (Scarlet	1.50	• 00.00
Oak)—		
6 to 8 ft.; trans	6.00	50.00
8 to 10 ft.; trans	10.00	75.00
10 to 12 ft.; trans.	12.50	100.00
concordia (Golden	12.00	100.00
Oak)—4 to 5 ft	10.00	
dentata; 3 to 4 ft	4.00	
macrocarpa (Mossy Cup	1.00	
Oak)—6 to 8 ft		
transplanted	5.00	
purpurea; 2 ft	5.00	
palustris (Pin Oak)—		
7 to 9 feet	.6.00	50.00
8 to 10 ft	7.50	60.00
10 to 12 ft	12.50	100.00
2 to 2½ in	15.00	125.00
prinus (Chestnut Oak);		
4 to 5 ft.; transplanted	4.00	
rubra (Red Oak); 3 to		
4 ft.; transplanted	4.50	40.00
Robinia hispida rosea (Rose		
acacia); 4 to 5 ft	1.50	
Salisburia adiantifolia (Gingl		
6 to 8 ft	5.00	40.00
8 to 10 ft.; trans	7.50	
Salix Babylonica (Weeping Wil-		
low) 8 to 10 ft	2.50	
Britzensis; 6 to 8 ft	2.50	20.00
pentandra (Laurel - Leaf-		
Willow)—		00.55
6 to 8 ft.; transp	2.50	20.00
regalis; 4 to 5 ft.: bushy.	2.50	20.00
vitellina; 6 to 8 ft	2.50	20.00

8 HIRAM T. JONES, ELIZABETH, N. J.	100
Salix Wisconsin (Weeping Wil-	100
low); 8 to 10 ft 2.50	
Sorbus aucuparia (Euripean	
Mountain Ash)—	
8 to 10 feet 1.50	12.50
6 to 8 ft 1.25	10.00
pendula; 2 yr. heads 4.00	35.00
Americana; 4 to 5 ft 2.50	00.00
aria lutescens 10.00	
Taxodium distichum (Cypress);	
3 ft 2.50	
pendula; 3½ to 4½ ft 15.00	
5 to 6 ft 25.00	
6 to 7 ft 30.00	
Tilia argentea (Silver-Leaved	
Linden); 8 to 10 ft 7.50	
6 to 8 ft 5.00	
Americana:	
15 to 18 ft.; 4 to 5 in 60.00	500.00
	500.00
8 to 10 ft.; root pruned 8.00	
platyphylla (Broad-Leaf	
Linden, with red	
twigs); 15 to 18 ft.;	
Ulmus Americana (White Elm);	10.00
6 to 8 ft.; transp 1.25	10.00
8 to 10 ft.; transp 4.00	30.00
10 to 12 ft.; transp 6.00	50.00
3 to 4 in. caliper 50.00	
campestris (European	
Elm); 14 to 16 ft.;	=00.00
root pruned; 3 to 4 in 60.00	500.00
scabra (Wych - Elm)—	
10 to 12 ft.; transp 10.00	F0.00
8 to 10 ft.; transp 6.00	50.00
Zelkowa Keaki; 4 to 5 ft.;	

DECIDUOUS SHRUBS.

These have all been transplanted within three years, and many of them have been root pruned yearly.

pruned yearly.	10	100
Althea; see Hibicus.	10	100
Amelanchier botryapium; 2 ft	1.50	12.50
Amorpha canescens; 1½ ft	1.25	10.00
Amygdalus nana (Almond);		
double white; 2 to 3 ft.	1.75	15.00
double red; 2 to 3 ft	1.75	15.00
Azalea arborescens:		
18 in.; with buds	3.50	
lutea (Calendulacca)—		
18 in.; with buds	3.00	
mollis;		
12 to 15 in.; with buds	2.50	20.00
15 to 18 in.; with buds	3.50	30.00
18 to 24 in.; with buds		40.00
2 to $2\frac{1}{2}$ ft.; with buds	7.50	
Tree form	10.00	
nudiflora; 15 to 18 in.;		
with buds	3.50	
pontica; 15 to 18 in,;		
with buds	5.00	40.00
18 to 24 in.; with buds	8.00	75.00
Vaseyii; 15 to 18 in.;		
with buds	3.00	
viscosa; 15 to 18 in.;		
with buds	3.00	
Baccharis halimifolia; 3 to 4 ft.	12.00	10.00
Benzoin (Lindera); 3 to 4 ft.;		
bushy	3.50	
Berberis purpurea; 18 to 24 in	.60	5.00
2 to 3 ft	1.00	8.00
3 to 4 ft	1.75	15.00
4 to 5 ft	2.50	20.00
Thumbergii; 12 to 18 in	.75	6.00
18 to 24 in	1.00	8.00
2 ft.; very bushy	2.50	20.00
$2\frac{1}{2}$ to 3 ft.; specimens.	5.00	
vulgaris; 2 to 3 ft	1.00	8.00
3 to 4 ft	1.50	12.50
Buddleia curviflora, 4 to 5 ft	1.25	10.00

10 HIRAM T. JONES, ELIZABETI	H, N. J.	
	10	100
Calycanthus floridus; 5 to 6 ft	3.00	25.00
4 to 5 ft	2.50	20.00
3 to 4 ft	2.00	15.00
Caragana arborescens; 2 to 3 ft.	1.25	10.00
Caryopteris mastacanthus;—		
18 to 24 in	1.00	8.00
Chionanthus Virginica (White		
Fringe)—		
3 to 4 ft	2.50	
specimens,		
6 to 7 ft	15.00	
Colutea arborescens; 3 to 4 ft	1.25	10.00
2 to 3 ft	1.00	7.50
Cornus elegantissima (Silver Va-		
riegated - Leaved)—		
2 to 3 ft	3.00	25.00
florida (White-Flower-	0.00	20.00
ing Dogwood)—		
2 to 3 ft.; transplanted.	2.00	15.60
3 to 4 ft.; transplanted.	2.50	18.00
4 to 6 ft.; transplanted.	3.00	25.00
florida pendula; 3 ft	7.50	40.00
florida rubra (Red-Flow	1.00	
ering Dogwood—		
3 to 4 ft	6.00	50.00
4 to 5 ft	10.00	75.00
Gouchaultii aurea (Gold-	10.00	75.00
en Variegated - Leav-		
ed); 3 to 4 ft	9.00	0 = 00
mas $1\frac{1}{2}$ to 2 ft	3.00	25.00
2 to 3 ft	1.00	8.00
3 to 4 ft	1.75	10.00
paniculata; 3 to 4 ft	1.50	12.50
	1.25	10.00
sanguinea; 3 to 4 ft	1.00	8.00
sericea; 3 to 4 ft	1.00	8.00
Siberica; 5 to 6 ft 4 to 5 ft	1.75	15.00
	1.50	12.50
3 to 4 ft	1.00	8.00
Spathii aurea;	2.50	90.00
18 to 24 in	$\frac{2.50}{.75}$	$\frac{20.00}{7.00}$
stolonifera; 3 to 4 ft		7.00
Corylus avellana; 3 ft	1.00	
avellana purpurea;	0.50	
2 to 3 ft	2.50	

WHOLESALE LIST—FALL, 1		11
Crataegus Crus-galli; 3 to 4 ft Oxycantha; 2 to 3 ft	$10 \\ 1.50 \\ .75$	$ \begin{array}{r} 100 \\ 10.00 \\ \hline 6.00 \end{array} $
Cydonia Japonica; 12 to 18 in 1½ to 2 ft.; stocky 2 to 3 ft.; bushy maulei; carnea plena, coccinea, coccinea alba, umbellicata;	.50 .75 1.25	4.00 6.00 10.00
2 to 3 ft Cytisus Laburnum (Golden	2.00	15.00
Chain); 4 to 5 ft Desmodium penduliflorum	$\frac{1.50}{1.50}$	$10.00 \\ 12.50$
Deutzia crenata; 3 to 4 ft gracilis; 2 ft Lemoinei; 2 to 3 ft 3 to 3½ ft	1.00 1.00 $.75$ 1.00	8.00 6.00 8.00
Pride of Rochester, 3 to 4 ft scabra; 3 to 4 ft 4 to 5 ft 5 to 6 ft; heavy	1.00 .75 1.25 1.75	8.00 7.00 10.00 15.00
Dicentra spectabilis Euonymus— Europaeus; 3 to 4 ft.	1.00 1.50	10.00
Europaeus linearis; 15 in	.75 6.00 5.00 2.00 2.50	50.00 40.00
Elaeagnus angustifolia; 3 ft argentea; 3 ft longipes; 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft.	1.00 1.50 1.00 1.25 1.75	8.00 10.00 8.00 10.00 15.00
Forsythia Fortunei; 2 to 3 ft Sieboldi; 5 to 6 ft intermedia; 3 to 4 ft. 4 to 5 ft 5 to 6 ft suspensa; 3 to 4 ft viridissima; 3 to 4 ft 4 to 5 ft	1.00 1.75 1.00 1.50 1.75 1.00 1.25	8.00 15.00 12.50 15.00 8.00 8.00 10.00

12 HIRAM T. JONES, ELIZABETH,	N. J.	
The last and the state of the s	10	100
Halesia tetraptera (Silver		
Bell)—	0.50	00.00
4 to 5 ft Hamamelis Virginica; 2 ft	2.50	20.00
Japonica; 3 ft	1.50 2.00	
Hedysarum Multijugum	1.50	
Hibicus Syriacus (Althea)—	1.50	
My assortment includes more	than	20.000
in twenty-five of the very choices	t sino	le and
double varieties, a list of which		
upon request. These I offer as be		oc sem
Named sorts, double, 4 to 5 ft.	2.50	20.00
3 to 4 ft.	1.25	10.00
2 to 3 ft.	.75	7.00
1 year, 2 to 3 ft.	.40	3.50
1 to 2 ft.	.30	2.00
Named sorts, single, 2 to 3 ft.	1.25	10.00
1 year, 2 to 3 ft.	.60	5.00
1 to 2 ft.	.40	3.50
Variegated leaf; 18 to 24 in	1.00	8.00
[*] 1 year; 1 to 2 ft	.60	5.00
Totus Albus; 18 to 24 in	1.00	8.00
1 year; 1 to 2 ft	.60	5.00
Tree form, double, 5 to 6 ft	5.00	
Seedling; 2 to 3 ft.; bushy	.60	5.00
Hippophae, rhamnoides, 2 to 3 ft	1.00	6.00
Hydrangea paniculata grandi-		
flora:		
15 to 18 in	3.75	37.50
18 to 24 in	.75	5.00
2 to 3 ft	.75	6.50
3 to 4 ft	1.00	9.00
spec., 5 to 6 ft. 1.00 ea		0 = 00
Tree form; extra	3.00	25.00
quercifolia; trans	$3.50 \\ 3.00$	
radiata; 2 to 3 ft		dmon
Hydrangea Quercifolia (Oak-lea gea). I regard this as one of the		
ble of all the hydrangea family.		
DIE OF AU THE HYURANGER TAHILY.	1110	LCa vCS

Hydrangea Quercifolia (Oak-leaved hydrangea). I regard this as one of the most valuable of all the hydrangea family. The leaves resemble in shape those of the White Oak. They are of dark green during the summer, and the foliage completely hides the branches. It is one of the first shrubs to show the deep autumnal tints, the leaves being very persistent, remaining on the branches until November. The flowers are inconspicuous.

WHOLESALE LIST-FALL.	1905	13
WITO BEET THEE,	10	100
Hypericum aureum	1.50	100
densiflorum; 3 ft	1.50	10.00
moserianum	.75	6.00
Jamesia Americana; 2 ft	1.50	12.00
Kerria Japonica; 3 to 4 ft	1.25	10.00
variegata	1.50	12.50
Ligustrum (Privet, California)—	2100	12.00
4 to 5 ft.; 2 yrs		5,00
		3.50
3 to 4 ft.; 2 yrs		
2 to 3 ft.; 2 and 3 yrs.		2.25
18 to 24 in.; 2 yrs		1.75
8 to 10 in.; 1 yr		1.00
Ibota; 18 to 24 in		4.00
Ligustrum Ibota Regelianum-		
A variety of the Ibota, which d	uring t	he try-
ing winter of 1903-4 demonstrat		
ness. In habit of growth it is	şemi-w	eeping.
It forms a handsome specimen	shrub,	showy
alike in flowers and fruit, and is e	equally	adapt-
ed for an ornamental hedge, req	uiring	almost
no trimming.		
no trimming. specimens 3½ ft. diam	3.00	25.00
		_
specimens 3½ ft. diam	3.00	25.00 15.00
specimens 3½ ft. diam " 2½ ft. " 2 to 2½ ft	3.00 2.00 1.25	25.00 15.00 10.00
specimens 3½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in	3.00 2.00	25.00 15.00 10.00 6.00
specimens 3½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft	3.00 2.00 1.25 .75	25.00 15.00 10.00 6.00 3.00
specimens 3 ½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft	3.00 2.00 1.25 .75	25.00 15.00 10.00 6.00 3.00 10.00
specimens 3 ½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft	3.00 2.00 1.25 .75 1.25 1.25	25.00 15.00 10.00 6.00 3.00 10.00
specimens 3½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft	3.00 2.00 1.25 .75 1.25 1.25 1.25	25.00 15.00 10.00 6.00 3.00 10.00 10.00
specimens 3½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00
specimens 3½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft. Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft tatarica alba; 3 to 4 ft	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00 6.50
specimens 3½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft tatarica alba; 3 to 4 ft tatarica rubra; 3 to 4 ft	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25 .75	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00 6.50 7.00
specimens 3 ½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft Morrowi; 2 to 3 ft tatarica alba; 3 to 4 ft tatarica rubra; 3 to 4 ft Peonies Herbaceous; named	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25 1.75 .75 1.50	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00 6.50 7.00
specimens 3 ½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft tatarica alba; 3 to 4 ft tatarica rubra; 3 to 4 ft Peonies Herbaceous; named Fringe leaf	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25 .75 .75 1.50 2.00	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00 6.50 7.00
specimens 3 ½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 ft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft tatarica alba; 3 to 4 ft tatarica rubra; 3 to 4 ft Peonies Herbaceous; named Fringe leaf Tree; 4 yrs.; strong	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25 1.75 .75 1.50	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00 6.50 7.00
specimens 3 ½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft tatarica alba; 3 to 4 ft tatarica rubra; 3 to 4 ft Peonies Herbaceous; named Fringe leaf Tree; 4 yrs.; strong Tree; specimens; 12 to	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25 .75 .75 1.50 2.00	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00 6.50 7.00
specimens 3½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft tatarica alba; 3 to 4 ft tatarica rubra; 3 to 4 ft Peonies Herbaceous; named Fringe leaf Tree; 4 yrs.; strong Tree; 4 yrs.; strong Tree; specimens; 12 to 18 in.; 10 to 18 branch-	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25 1.50 2.00 5.00	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00 6.50 7.00
specimens 3 ½ ft. diam " 2½ ft. " 2 to 2½ ft. " 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft tatarica alba; 3 to 4 ft tatarica rubra; 3 to 4 ft Peonies Herbaceous; named Fringe leaf Tree; 4 yrs.; strong Tree; 4 yrs.; strong Tree; specimens; 12 to 18 in.; 10 to 18 branches	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25 1.50 2.00 5.00	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00 6.50 7.00
specimens 3 ½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft tatarica alba; 3 to 4 ft tatarica rubra; 3 to 4 ft Peonies Herbaceous; named Fringe leaf Tree; 4 yrs.; strong Tree; specimens; 12 to 18 in.; 10 to 18 branches Philadelphus aurea; 12 to 18 in	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25 1.50 2.00 5.00	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00 6.50 7.00
specimens 3 ½ ft. diam " 2½ ft. " 2 to 2½ ft. " 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft tatarica alba; 3 to 4 ft tatarica rubra; 3 to 4 ft Peonies Herbaceous; named Fringe leaf Tree; 4 yrs.; strong Tree; 4 yrs.; strong Tree; specimens; 12 to 18 in.; 10 to 18 branches	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25 1.50 2.00 5.00	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00 6.50 7.00 10.00
specimens 3 ½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft tatarica alba; 3 to 4 ft tatarica rubra; 3 to 4 ft Peonies Herbaceous; named Fringe leaf Tree; 4 yrs.; strong Tree; specimens; 12 to 18 in.; 10 to 18 branches Philadelphus aurea; 12 to 18 in	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25 1.50 2.00 5.00	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00 10.00 6.50 7.00 15.00
specimens 3 ½ ft. diam " 2½ ft. " 2 to 2½ ft 18 to 24 in vulgaris; 2 to 3 fft Lonicera Alberti; 2 to 3 ft fragrantissima; 3 ft Ledbourri; 2 to 3 ft Morrowi; 2 to 3 ft tatarica alba; 3 to 4 ft tatarica rubra; 3 to 4 ft tatarica rubra; 3 to 4 ft rec; 4 yrs.; strong Tree; 4 yrs.; strong Tree; specimens; 12 to 18 in.; 10 to 18 branches Philadelphus aurea; 12 to 18 in 18 to 24 in	3.00 2.00 1.25 .75 1.25 1.25 1.25 1.25 1.25 1.50 2.00 5.00	25.00 15.00 10.00 6.00 3.00 10.00 10.00 10.00 10.00 6.50 7.00 15.00

boule d'argent; 2 ft.

2.00

15.00

14 HIRAM T. JONES, ELIZABETH		100
Philadelphus coronarius 2 to 3 ft.	1.00	100 8.00
3 to 4 ft.	1.50	10.00
grandiflorus;	2100	20.00
3 to 4 ft	1.25	10.00
4 to 5 ft	1.75	15.00
Lemoinei; 1½ ft	2.00	
manteau d' Her-		
mine; 1½ ft	2.00	15.00
nanus; 1 ft	1.50	
Zeyheri; 2 to 3 ft	1.25	10.00
3 to 4 ft	1.75	15.00
Prunus triloba; 3 to 4 ft	1.75	15.00
Rhamnus catharticus;		
2 to 2½ ft	.50	3.50
3 to 4 ft.; bushy	1.00	8.00
frangula; 3 to 4 ft	.75	5.00
4 to 5 ft	1.00	7.50
Rhodotypus kerroides; 2 to 3 ft.	1.75	15.00
Rhus copallina; 18 to 24 in	1.25	10.00
2 to 3 ft	1.75	15.00
cotinus (Purple Fringe):		
4 to 5 ft	1.50	12.50
3 to 4 ft	1.00	8.00
2 to 3 ft	.75	5.00
cotonoides; 2 to 3 ft	5.00	45.00
An exceedingly scarce Sumach	from	the Mis-
sissippi Valley. Flowers in spr		and the
foliage assumes most brilliant au		tints.
glabra; 3 ft	1.00	
glabra Laciniata; 2 ft	2.50	20.00
typhina	1.25	10.00
typhina Laciniata; 2 ft	2.50	20.00
Ribes aureum; 3 to 4 ft	1.00	7.50
Alpinum, 2 ft	1.50	
Gordonianum; 2 to 3 ft	1.50	12.50
sanguineum	1.25	10.00
Rosa Arkansana; 8 to 12 in	1.25	10.00
Crimson Rambler; own roots		
18 to 24 in	.60	5.00
2 to 3 ft		7.50
3 to 4 ft	.80	
CU 1 1 10	1.25	10.00
Standard Roses	$\frac{1.25}{3.50}$	$\begin{smallmatrix}10.00\\30.00\end{smallmatrix}$
lucida; 2 ft; bushy	1.25 3.50 1.50	10.00 30.00 10.00
	$\frac{1.25}{3.50}$	$\begin{smallmatrix}10.00\\30.00\end{smallmatrix}$

WHOLESALE LIST-FALL, I	905	15
Rosa rugosa, Red; 18 to 24 in.;	10	100
bushy	1.00	8.00
2 to 3 ft	1.25	10.00
3 to 4 ft	1.75	15.00
4 to 5 ft	3.50	19.00
Woodsii: 1 to 2 ft	1.50	
Spinossissima (Scotch or Burn		
low shrub with small leaves and		
or pink flowers. The branches		
densely beset with slender prickl		he fol-
iage withstands our burning suns		
sistent during the entire season.		
the very best of the rose species.		
2 to 2½ ft	4.00	35.00
18 to 24 in	3,00	25.00
Sambucus canadensis; 3 to 4 ft.	1.00	8.00
nigra aurea (Golden	1.00	0.00
Elder)—		
3 to 4 ft	1.00	8.00
Racemosa; 3 to 4 ft.	1.25	0.00
plumosa folius lac-	1.20	
iniata aureis	3.00	25.00
illiata aurcis	0.00	20.00
Spiraea (Anthony Waterer)-		
18 to 24 in	1.25	10.00
2 ft.; bushy	1.50	12.50
3 ft.; bushy	1.75	15.00
arguta multiflora—		
2 to 2½ ft	1.25	10.00
2½ to 3½ ft	1.50	12.50
Billardii; 4 to 5 ft	1.00	7.50
3 to 4 ft	.75	5.00
Blumei; 1 to 2 ft	1.25	10.00
bumalda; 18 to 24 in	1.00	8.00
collosa; 2 ft	.75	
collosa alba; 18 to 24 in	1.25	10.00
Douglasi; 18 to 24 in	1.00	7.00
Fortunei macrophylla	1.25	10.00
Froebeli; 3 to 4 ft	1.25	10.00
opulifolia; 3 to 4 ft	1.25	10.00
opulifolia aurea; 3 to 4 ft.	1.50	12.50
prunifolia; 18 to 24 in	1.00	
Reevesii; 3 ft	1.00	9.00
rotundifolia; 3 to 4 ft	1,25	10.00

HIRAM	T.	JONES,	ELIZABETH,	N.	J.
					10

 Spirea Thunbergii; 18 to 24 in..
 1.00
 8.00

 2 to 2½ ft..
 1.50
 12.50

 tomentosum; 3 to 4 ft...
 1.00
 8.00

Van Houttei;

16

An old-time favorite and one of the best Spireas grown. Hardy almost as oak. My stock consists of 20,000 well-grown plants.

stock consists of 20,000 well-grov	vn plai	nts.
$1\frac{1}{2}$ to 2 ft	.75	5.00
2 to 3 ft	.90	6.00
3 to 4 ft	1.00	8.00
4 to 5 ft	1.50	12.50
Styrax Japonica; 4 to 5 ft	2.50	20.00
5 to 6 ft	3.00	25.00
Syringa (Lilac) alba; 2 to 3 ft	1.00	8.00
3 to 4 ft	1.25	10.00
Tree form	1.50	
Persian; 3 to 4 ft; bushy	1.25	10.00
Persian, white; 2 to 3 ft.	1.50	
rubra de Marly; 3 to 4 ft	1.00	8.00

ruora de Mariy; 3 to 4 ft 1.00 8.00
vulgaris, purple; 2to 3 ft .75 5.00
3 to 4 ft. 1.00 8.00
4 to 5 ft. 1.75 15.00

4 to 5 ft. 1.75 15.00 5 to 6 ft. 3.00 25.00

100

1 year; 3 to 4 ft...... 2.00 15.00 2 years; 3 to 4 ft...... 2.50 20.00

Of the named varieties of the Lilac I offer in the varieties given below, 5,000 one year, 2,500 two year, nearly all of which are budded on Lilac. Varieties, Alphonse Lavelle, Belle de Nancy, Bertha Damman, Chas. X., Chas. Joly, Emile Lemoine, Fleur d'Orangers, Japonica, Jean Bart, Josikea, Jules Freiger, Leon Simon, Lemoine fl. pl. La Virginite, Maxime Cornu, Mathieu Dombasle, Marie Le Graye, Mme. Casimir Perriere, Mme. Abel Chatenay, Michael Buchner, Monument Carnot, Obelisque, Pres. Grevy, Souvenir du L. Thibaut, Souv. President Carnot, Souv. Ludwig Spaeth, Tour D'Auvergne, Virginalis, Villosa, Violacea.

Symphoricarpus racemosa;

3 to 4 ft...... 1.00 8.00 vulgaris; 3 to 4 ft 75 6.00

WHOLESALE LIST-FALL, 19	905	17
THE BEST THE BIST TITLE, I	10	100
Tamarix Africana; 3 to 4 ft	1.00	8.00
Caspica; 3 to 4 ft	1.25	10.00
Gallica; 3 ft	1.25	10.00
Germanica; 2 to 3 ft	1.00	8.00
Indica; 2 to 3 ft	1.00	8.00
Odessana; 3 to 4 ft	1.25	10.00
tetranda purpurea; 3 ft.	1.00	8.00
Viburnum acerifolium	1.50	0.00
		10 50
cassinoides; 3 to 4 ft.	1.50	12.50
lantana; 3 to 4 ft	1.25	10.00
opulus (H. B. Cran-		
berry); 2 to 3 ft	1.25	10.00
opulus fl. pl. (Snow-		
ball); 18 to 24 in	1.00	8.00
plicatum; $1\frac{1}{2}$ to 2 ft.	1.50	
tomentosum; 3 ft.;		
bushy	2.00	15.00
Wiegela nana variegata; 3 to 4 ft.	1.00	8.00
rosea; 3 to 4 ft	1.00	8.00
4 to 5 ft	1.75	15.00
Eva Rathke; 2 to 3 ft	1.50	12.50
candida; 3 to 4 ft		
	1.25	10.00
4 to 5 ft	1.75	15.00
amabilis; 3 ft	1.00	8.00
Sieboldi var., 3 to 4 ft.	1.25	10.00
Xanthorrhiza apiifolia	1.50	
Xanthoceras sorbifolia	3.00	
CLIMIBING SHRUE	25	
CENTIDING STITCE	<i>.</i>	
Actinidia arguta; 3 to 5 ft	1.75	15.00
Akebia quinata; 3 yrs.; strong	1.25	10.00
Ampelopsis Engelmanni; 3 yrs	1.00	8.00
4 yrs.; 6 to 8 ft	1.25	10.00
quinquefolia; 2 yrs.	.75	5.00
8 to 10 ft	1.00	7.50
10 to 12 ft	1.75	15.00
15 to 20 ft	3.50	
muralis	1.75	15.00
Veitchii; strong	1.10	10.00
	1 00	8.00
plants—2 years	1.00	
Veitchii; medium	.75	6.00
Veitchii variegata;	1 00	0.00

3 years

1.00

8.00

18 HIRAM T. JONES, ELIZABETH	i. N. J.	
	10	100
Aristolochia sipho; 3 to 4 ft	3.00	25.00
Bignonia grandiflora; heavy	2.50	20.00
radicans; 2 years	1.00	8.00
Clematis coccinea	1.00	8.00
crispa	1.00	8.00
flamula	1.00	
integrifolia coerulea	1.00	8.00
Montana; 3 ft	1.25	10.00
paniculata; 3 years	1.00	8.00
Virginiana; 3 years	1.00	8.00
viticelli; 2 years	1.00	8.00
Celastrus articulatus, 3 to 5 ft.;		
fruiting plants	2.00	15.00
scandens; 2 to 3 ft	1.50	10.00
Dolichos Japonica; (Kudzu vine)	5.00	40.00
Enonymous radicans; 2 to 3 ft	1.00	8.00
radicans variegata	1.50	10.00
Jasminum nudiflorum	1.25	10.00
Lonicera aurea reticulata; 2 yrs.	.75	6.00
Belgica, 2 yrs	1.25	10.00
coccinea	2.00	
Halleana; 2 yrs	.75	6.00
Lycium Sinensis; 3 to 4 ft	1.00	8.00
2 to 3 ft	.75	6.00
Periploca graeca; 3 years	1.00	8.00
Rubus dumetorum	.50	3.50
Schizophragma Hydrangeoides	6.00	
Wistaria frutescens; 2 yrs	1.00	8.00
sinensis; 2 yrs	1.25	10.00
sinensis; 3 yrs	1.75	15.00
specimens 25c. to 2.00 ea	ch	
alba; 2 yrs	1.25	10.00
3 yrs	1.75	15.00
	0 0 0	0 = 00

4 yrs.....spec., 50c. to 1.50 each

3.00

25.00

EVERGREEN SHRUBS.

10	100
Andromeda Japonica; 1 to 1½ ft 10.00	
Azalea amoena; 15 to 18 in 7.50	
Buxus arborescens (Tree Box)-	
Pyramids; 3 ft 17.50	
Other sizes; prices upon appli-	
cation.	
suffructicosa; 3 to 4 in	2.50
3 to 5 in	3.50
4 to 6 in	5.00
Euonymous Japonica 1.50	3.00
Hex crenata; 18 to 24 in 7.50	
Kalmia latifolia; 12 to 18 in 5.00	40.00
	40.00
Mahonia aquifolia; 12 to 18 in 1.50	
Japonica; 12 to 18 in 2.00	
Myrica cerifera;	# 0 0 0
18 to 24 in 1.25	10.00
12 to 18 in 1.00	7.50
Rhododendron Hirsutum, Punc-	
tatum, Dahuri-	
cum, Ferrugin-	
eum 7.50	
maximum; trans;	
15 to 18 in 7.50	50.00
Ponticum;	
15 to 18 in 3.50	30.00
Parson's Hardy	
Hybrids;	
2 to 2½ ft 17.50	150.00
	125.00
Varieties: Abraham Lincoln, Album	ı Ele-
gans, Caractacus, Charles Dickens, Eve	
num, Gen. Grant, H. H. Hunnewell, H. V	V Sar-
gent, Roseum Elegans, Giganteum, Del	licatis-
sima.	
Yucca filamentosa; strong 1.50	10.00

EVERGREEN TREES.



I have for the past five years been devoting an increasing attention to this department. By root pruning annually and transplanting every two or three years, as well as by the systematic pruning of the branches and the giving of sufficient space to each plant to develop it symmetrically, I am able to offer blocks that cannot be excelled in quality. I now have fifteen acres devoted to this department, and this acreage will be nearly doubled the coming season. I extend a cordial invitation of inspection.

Som I catena a corami militarion	01 1110	pections
Abies balsamea (Palsam Fir)-	10	100
3 to 3½ ft	4.00	
2 to 3 ft	3.00	25.00
1 to 2 ft	1.50	10.00
concolor; 2 to 2 ½ ft	15.00	100.00
Nordmanniana; 2 to 3 ft	12.50	100.00
3 to 4 ft	17.50	150.00
4 to 5 ft	25.00	

Veitchi; 3 to 4 ft..... 15.00

WHOLESALE LIST-FALL, 1905	21
10	100
L'iota Orientalis; 4 to 5 ft 10.00	
Elegantissima; 18 to 24 in. 10.00	
2 to 3 ft 15.00	
Juniperus canadensis aurea—	
6 to 12 in 1.50	
12 to 18 in 2.50	
Hibernica; 4 ft 7.50	
Sabina; 18 to 24 in 5.00	35.00
2 to 2 ½ ft 7.50	50.00
Virginiana; 18 to 24 in 2.00	15.00
2 to 3 ft 2.50	17.50
3 to 3 ½ ft 3.50	
Virg Glauca 2 to3 ft 12.00	
Picea alba (Black Hills type)—	
3 to 4 ft	
2 to 3 ft 5.00	
18 to 24 in 2.50	
excelsa (Norway Spruce)—	
12 to 15 in 1.00	8.00
2 to 3 ft 3.00	25.00
3 to 4 ft 6.00	50.00
4 to 5 ft	
5 to 6 ft	
Excelsa conica; 18 to 24 in 5.00	
Excelsa inverta; 2 to 3 ft10.00	
3 to 4 ft 15.00	
4 to 5 ft 25.00	
pungens; 2 to 3 ft 3.00	25.00
3 to 4 ft 6.00	50.00
4 to 5 ft 7.50	
pungens glauca, 2 to 3 ft 17.50	
3 to 4 ft 25.00	
4 to 5 ft 35.00	
Kosteriana; 2 to 2½ ft 25.00	
2½ to 3 ft. 35.00	
Orientalis; 3 to 4 ft 25.00	



PINUS STROBUS Showing the effect of our system of root-pruning. Not	ice the ball, and
the fibrous roots partially exposed	0 100
Pinus austriaca; 2 to 3 ft 3.	50 30.00
3 to 4 ft 6.	00 50.00
4 to 5 ft 17.	50 150.00
cembra; 5 ft 50.	0 0
2 to 3 ft	00
excelsa; 3½ to 4 ft 15.	00
mugho; 10 to 15 in 4.	50 35.00
rigida; 4 ft 15.	00
strobus; 2 to 3 ft 3.	
3 to 3½ ft 5.	00 40.00
3 ½ to 4 ft 10.	0.0
sylvestris; 3 to 4 ft 7.	
4 to 5 ft 8.	~
5 to 6 ft 15.	



RETINOSPORA PLUMOSA Section of a block of 2,200 specimens

		10	100
Retinospora	filicoides; 2 ft	15.00	
	filifera; 3 to 4 ft	25.00	
	obtusa; 2 ft	10.00	
	pisifera; 12 to 18 in	3.00	25.00
	2½ to 3 ft.	10.00	
	pisifera aurea;		
	4 to 5 ft	25.00	
	3 to 4 ft	15.00	
	plumosa; 12 to 18 in	1.75	15.00
	18 to 24 in	3.50	25.00
	2 to 3 ft	6.00	50.00
	3 to 4 ft	12.50	100.00
	4 to 4½ ft	15.00	
	$4\frac{1}{2}$ to 5 ft	25.00	
	plumosa aurea—		
	9 to 12 in	2.00	15.00
	1 to 1½ ft	3.50	25.00
	18 to 24 in	5.00	40.00
	2 to 2½ ft	10.00	75.00
	3 to 4 ft		
	4 to 5 ft	25.00	
	5 to 6 ft	50.00	
	6 to 7 ft	75.00	

In addition to our plan of root pruning and transplanting, most of our evergreens are sheared yearly, with the effect of producing dense perfect specimens.




RETINOSPORA PLUMOSA AUREA


The Retinosporas and most of the Spruces, Arbor Vitae, Hemlocks and Pines are suitable for placing in tubs and vases, or wherever perfectly shaped specimens are required.

WHOLESALE LIST—FALL,	1905 10	25 100			
Retinospora squarosa veitchii— $5 \text{ to } 6 \text{ ft}$ $2 \text{ to } 2\frac{1}{2} \text{ ft}$	35.00 10.00				
18 to 24 in 12 to 18 in	5.00 2.00 15.00	$\begin{smallmatrix}40.00\\15.00\end{smallmatrix}$			
Sciadopitys verticillata; 2 ft Thuja occidentalis					
3 to 4 ft	$\frac{1.00}{3.00}$	25.00			
4 to 5 ft	5.00	40.00			
5 to 6 ft	10.00				
6 to 7 ft	12.50				
occidentalis erecoides—					
12 to 15 in	1.50	10.00			
18 to 24 in	3.00	25.00			
2 to 2 ½ ft	5.00				
Ellwangeriana—					
10 to 12 in	1.75	15.00			
12 to 18 in	3.00	25.00			
18 to 24 in	5.00				
2 to 2 ½ ft	7.50				
pumila; 6 to 9 in.	2.50				
Hoveyii; 3 ft	20.00				
pyramidalis—	0 00	25 00			
$1\frac{1}{2}$ to 2 ft	3.00	25.00			
2 to 3 ft 3 to 3 ½ ft	4.00	35.00			
3 to 3½ ft Warreana (Siberia	5.00				
varreana (siberia	8.00	75.00			
3 to 4 ft	17.50	150.00			
Tsuga canadensis; 12 to 18 in	1.25	10.00			
18 to 24 in	3.00	25.00			
2 to 2½ ft	5.00	_0.00			
$2\frac{1}{2}$ to 3 ft	6.00	50.00			
3 to 3½ ft	7.50	60.00			
$3\frac{1}{2}$ to 4 ft	10.00				
4 to 4½ ft	15.00				
4½ to 5 ft	20.00				
5 to 6 ft	25.00				
Sargenti	25.00				


FRUIT DEPARTMENT.

	10	100	
Apple; 5 to 7 ft.; ¾ in	1.50		
6 to 8 ft.; % in	3.00		
1 to 1½ in	5.00		
Asparagus; 2 years		.50	
Blackberry; from root cuttings.	.25	. 2.00	
Cherry; sweet; 2 years; 3/4 in	.3.50		
sour; 2 years; ¾ in	3.00		
Currant; 2 years; No. 1	.75	5.00	
Gooseberry; Downing; 2 years;			
strong	1.00	75.00	
Grape; Brighton; 3 yrs	1.25	10.00	
Concord; 3 years	1.00	7.50	
Delaware; 3 years	2.00	15.00	
Green Mountain; 3 years	3.00		
Moore's Early; 3 years.	1.00	8.00	
Niagara; 3 years	1.25	10.00	
Worden; 3 years	1.00	10.00	
Peach; 9 to 16 in. and up	1.00		
Pear: Standard: 5 to 7 ft	2.50		
6 to 8 ft	4.00		
Plum; 2 years; ¾ in	3.00		
Quince: Champion; 3 to 4 ft			
Raspberry; assorted	$\frac{2.50}{.35}$	3.00	
2 0		4.00	
,			
Strawberry; Marshall, Glad-		ΕO	
stone, etc		.50	







TIMES PRINT, ELIZABETH, N. J.









AA NURSERIES AA

HIRAM T. JONES

Elizabeth, New Jersey

Wholesale List